
From: Doug Wight (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DOUGLA7]
Sent: 11/10/2015 6:27:37 PM
To: Mike Surface (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Mich188]
CC: Michael J Winters (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=MIC1082]
Subject: FW: Pond D Comingled Water Sampling Plan, 11/5/15
Attachments: C15013200T050-PPPD CWSP-JDD.pdf

Mike Surface, [This is more in your arena.](#)

From: Michael A Glagola (Generation - 34)
Sent: Tuesday, November 03, 2015 8:44 AM
To: Doug Wight (Generation - 34); Michael J Winters (Generation - 34)
Cc: Kenneth Roller (Services - 6); John DeBarbieri
Subject: FW: Pond D Comingled Water Sampling Plan, 11/5/15

Doug and Mike,

Any issues with this plan?

Thanks,

Mike

From: John DeBarbieri [<mailto:J.DeBarbieri@gaiconsultants.com>]
Sent: Monday, November 02, 2015 3:39 PM
To: Kenneth Roller (Services - 6)
Cc: Michael A Glagola (Generation - 34); John Klamut; Scott Quinlan
Subject: Pond D Comingled Water Sampling Plan, 11/5/15

Ken,

Per your request, attached is a Sampling Plan for the Pond D Comingled Water. We have planned for sampling on Thursday, November 5th. Allie McCurdy and Sarah Jennings have initially coordinated with Leonard C. Pope to take safety training and collect the samples. We planned for 3 locations, each with samples at three different depths. Biological / Toxicity testing will be performed at one location / depth due to costs (~\$7000 total for all four chronic and acute toxicity tests).

Please note we have a GAI surveyor who is going to obtain the current Pond D water surface elevation ASAP; and can modify the Sampling Plan if the elevation (and subsequent sample depths) are significantly different than what we assumed.

Should you have any edits or other needs, please direct to John Klamut and Scott Quinlan.

Sincerely,

John D. DeBarbieri, P.E.

Senior Project Engineer

GAI Consultants, Inc.

385 East Waterfront Drive, Homestead, PA 15120-5005

412.476.2000 ext. 1580 |      | gaiconsultants.com 

 **transforming ideas into reality[®] since 1958** | gaiconsultants.com

CONFIDENTIALITY NOTICE: This communication contains confidential information belonging to the sender and may be legally privileged. This communication is solely for the use of its intended recipient. If you are not the intended recipient, inform the sender of the error and remove this email from your system. If this transmission includes any technical information, design data, and/or recommendations, they are provided only as a matter of convenience and may not be used for final design and/or construction.

00012999